

MOTOMORINI®



ITALIA DAL 1937



SCR
SEIEMMEZZO

DETAILS



18" front and 17" rear
Tubeless spoke rims
Tyre pressure sensors



Full LED headlights
Gold fork



Standard passenger handles
Brown heritage seat



5" TFT screen
Bluetooth connectivity



Brembo braking system
Pirelli MT60RS tyres



Backlit handlebar controls

COLOURS



Night Black

Blue Storm

Navy Green





TECHNICAL DETAILS

GENERAL MEASUREMENTS

Length x width x height	2150 x 890 x 1155 mm
Wheelbase	1425 mm
Dry weight	200 kg
Seat height	810mm
Fuel tank capacity	Approx. 16L

FRAME

Steel trellis frame
Aluminum swingarm

RIMS AND TYRES

Rims	Tubeless spoked rims
Front tyre	120/70-18M/C Pirelli MT60RS
Rear tyre	160/60-17M/C Pirelli MT60RS

BRAKING SYSTEM

Front brake	Dual 298 mm discs, floating calipers, 2 pistons
Rear brake	Single 255 mm disc, 2 pistons
ABS	BOSCH ABS 9.1 Mb

ENGINE

Engine	2 in-line cylinders, 4-stroke engine
Engine size	649 cc
Bore x Stroke	83 mm x 60 mm
Compression ratio	11.3:1
Maximum torque	54 Nm / 5,5 kgm / 7000 rpm
Maximum power	44,5 kW / 61 HP / 8250rpm
Fuel injection system	BOSCH EFI
Maximum speed	170 Km/h
Cooling system	Liquid
Fuel distribution	DOHC 8-valve distribution
Emission class	Euro 5

SUSPENSIONS

Front suspension	Upside-Down Kayaba 43 mm, 120mm wheel travel adjustable for spring preload, damping setting in rebound and compression
Rear suspension	Kayaba monoshock, 120 mm wheel travel adjustable for spring preload, damping setting in rebound

The photos and information in this catalogue may refer to prototypes and differ in some details from the standard models. The vehicles shown may be partially equipped with optional extras that can be purchased for an additional surcharge.



STAR

SEIEMEZZO

SCR

SEIEMMEZZO



TECHNICAL DETAILS

GENERAL MEASUREMENTS

Length x width x height	2150 x 820 x 1120 mm
Wheelbase	1425 mm
Dry weight	200 kg
Seat height	810mm
Tank capacity	Approx. 16L

FRAME

Steel trellis frame
Aluminum swingarm

RIMS AND TYRES

Rims	Tubeless spoked rims (optional alloy)
Front tyre	120/70-18M/C Pirelli Angel GT
Rear tyre	160/60-17M/C Pirelli Angel GT

BRAKING SYSTEM

Front brake	Dual 298 mm discs, floating calipers, 2 pistons
Rear brake	Single 255 mm disc, 2 pistons
ABS	BOSCH ABS 9.1 Mb

ENGINE

Engine	2 in-line cylinders, 4-stroke engine
Engine size	649 cc
Bore x Stroke	83 mm x 60 mm
Compression ratio	11.3:1
Maximum torque	54 Nm / 5,5 kgm / 7000 rpm
Maximum power	44,5 kW / 61 HP / 8250rpm
Injection system	BOSCH EFI
Maximum speed	170 Km/h
Cooling system	Liquid
Fuel distribution	DOHC 8-valve distribution
Emission class	Euro 5

SUSPENSIONS

Front suspension	Upside-Down Kayaba 43 mm, 120mm wheel travel adjustable for spring preload, damping setting in rebound and compression
Rear suspension	Kayaba monoshock, 120mm wheel travel adjustable for spring preload, damping setting in rebound





18" front and 17" rear
Tubeless alloy rims



Full LED headlights



Pirelli Angel GT tyres



5-inch TFT screen



Brembo braking system



Backlit handlebar controls

DETAILS

Smoky Anthracite

Fire Red

Starlight White



COLOURS

MOTOMORINI®



ITALIA DAL 1937



STR
SEIEMMEZZO