



MOTOMORINI®



ITALIA DAL 1937

# X-CAPE

# DETAILS




7" COLOURED TFT SCREEN



NAVIGATION CONNECTIVITY  
THROUGH APP





# DETAILS



DOUBLE USB CHARGER



MUSIC AND PHONE CONNECTIVITY



BACKLIT ELECTRICAL INSTRUMENTS




ADJUSTABLE WINDSCREEN




FULL LED HEADLIGHTS



50 MM. MARZOCCHI FRONT FORKS



BREMBO BRAKES  
ABS BOSCH (SWITCHABLE)



TYRE PRESSURE SENSORS  
PIRELLI TYRES



TOURING WINDSCREEN



HANDGUARDS



CRASH BARS



ALLUMINIUM ENGINE GUARD



SC PROJECT EXHAUST



LOWER SEAT 820 MM



TOP CASE 38 LT.



SIDE CASE 34 LT.



TOP AND SIDE CASES

# COLOURS

BLACK EBONY



RED PASSION



ALLOY RIMS



SPOKED RIMS



GOLD WHEELS EDITION  
ONLY FOR XCAPE RED PASSION

SMOKY ANTHRACITE



CARRARA WHITE



# TECHNICAL DETAILS

## GENERAL MEASUREMENTS

|                          |                 |
|--------------------------|-----------------|
| Length x width x height  | 2200X900X1390   |
| Wheelbase                | 1490 mm         |
| Dry weight               | 213 kg          |
| Seat height              | 820 mm / 845 mm |
| Tank capacity            | Approx. 18 L.   |
| Minimum ground clearance | 190 mm          |

## CHASSIS

|                     |
|---------------------|
| Steel trellis frame |
| Aluminum swingarm   |

## RIMS AND TYRES

|            |   |
|------------|---|
| Rims       | Spoked or alloy tubeless rims           |
| Front tyre | 110/80-19M/C-Pirelli Scorpion Rally STR |
| Rear tyre  | 150/70-17M/C-Pirelli Scorpion Rally STR |

## BRAKING SYSTEM

|             |   |
|-------------|---|
| Front brake | Dual 298 mm discs, floating calipers, 2 pistons |
| Rear brake  | Single 255 mm disc, 2 pistons                   |
| ABS         | BOSCH ABS 9.1 Mb (switchable)                   |

## ENGINE

|                   |                                      |
|-------------------|--------------------------------------|
| Engine            | 2 in-line cylinders, 4-stroke engine |
| Engine size       | 649 cc                               |
| Bore x Stroke     | 83 mm x 60 mm                        |
| Compression ratio | 11.3:1                               |
| Maximum torque    | 54 Nm / 5,6 kgm / 7000 rpm           |
| Maximum power     | 44 kW / 60 HP / 8250rpm              |
| Injection system  | BOSCH EFI                            |
| Maximum speed     | 170 Km/h                             |
| Cooling system    | Liquid                               |
| Fuel distribution | DOHC 8-valve distribution            |
| Emission class    | Euro 5                               |

## SUSPENSIONS

|                  |  |
|------------------|--|
| Front suspension | Marzocchi Upside-Down 50 mm, 175 mm wheel travel adjustable spring preload, damping setting in rebound and compression |
| Rear suspension  | Kayaba monoshock wheel travel 165 mm adjustable for spring preload, damping setting in rebound                         |